



RETRACTABLE SCREENS

OPERATION


- Minimal size, high-tech extruded aluminum housing
- · Simple operation, controlled by switch, remote, Wi-Fi, or app
- Safe, long-lasting performance with the latest in motorized technologies
- · 2-part guide rails for a clean install and enduring serviceability
- Maximum energy conservation while creating blissful spaces

MATERIALS

- Extensive variety of beautiful fabric designs and color options
- Gorgeous selection of low maintenance materials
- Commercial grade aluminum Environmentally friendly material with positive effects during production and longterm operation
- · High strength screen textile is resistant to deformation, even under heavy load
- Textile is zip secured to guide rails providing extra strength
- Wide range of fabric shine and coating grades guarantees a premium and long lasting finish

FRAME COLOR OPTIONS WHITE CLEAR ANODIZED Choice of standard colors, or custom colors available BLACK High quality finishes with excellent durability CUSTOM Next generation double layer surface powder coating





SCREEN

- Superior insect protection and increased privacy
- Textiles available to block all insects, even annoying "no-see-ums"
- Industry leading wind limits of up to *90 mph (145 km/h)

- Includes optimum anti-glare technology
- Saves heating and cooling costs by regulating room temperatures
- · Heat input can be adjusted making it even more energy efficient





PROTECT

- · Repels water, UV rays, mold, and dirt through state-of-the-art innovations
- Significantly reduces the amount of solar radiation and UV damage
- Enjoy natural daylight and embrace your spectacular view





SCREEN TEXTILES AND SIZING

Pentagon TranquilGuard screen fabrics are sourced from the leading textile mills from around the globe to ensure we supply the best quality products to enhance your tranquility and provide you with the best experience and long term satisfaction.

SHADE 80			
Material Description	Thickness	Openess	UV Blockage
Shade 80 is fade resistant, and made of strong vinyl-coated polyester. It is ideal for use as a shading fabric.	0.04 in (1.016 mm)	25%	75%

SHADE 90			
Material Description	Thickness	Openess (OF)	UV Blockage
Shade 90 is fade resistant, and made of strong vinyl-coated polyester. This fabric offers excellent UV protection.	0.039 in (0.991 mm)	10%	90%

SHADE 90 DESIGN			
Material Description	Thickness	Openess (OF)	UV Blockage
Shade 90 is a strong vinyl-coated polyester, and is available in seven rich, design-oriented color options.	0.039 in (0.991 mm)	10%	90%

Material Description Thickness Openess (OF) UV Blockage Shade 95 a full basketweave vinyl-coated polyester fabric that offers increased heat and glare control. 0.029 in (0.737 mm) 5% 95%	SHADE 95			
Shade 95 a full basketweave vinyl-coated polyester fabric that offers increased heat and glare control. 0.029 in (0.737 mm) 5% 95%	Material Description	Thickness	Openess (OF)	UV Blockage
	Shade 95 a full basketweave vinyl-coated polyester fabric that offers increased heat and glare control.	0.029 in (0.737 mm)	5%	95%

SHADE 97			
Material Description	Thickness	Openess (OF)	UV Blockage
Shade 97 a full basketweave vinyl-coated polyester fabric. This fabric provides excellent daytime privacy.	0.033 in (0.838 mm)	3%	97%
	The second secon	EDIN A CHEST	Control Village

VIIVIL PLOS			
Material Description	Thickness	Openess (OF)	UV Blockage
Vinyl Plus is a vinyl-coated PVC fabric providing the utmost privacy, as well as maximum sun and UV protection.	0.021 in (0.54 mm)	0%	100%

CLEAR PLUS			
Material Description	Thickness	Openess (OF)	UV Blockage
Clear Plus is a clear vinyl that is double polished so it is crystal clear. It holds up in temperatures down to -40°.	0.02 in (0.5 mm)	0%	0%/50%

INSECT PLUS					
Material Description	Thickness	Openess (OF)	UV Blockage		
Insect Plus is a durable vinyl-coated polyester that is stronger than traditional insect screening.	0.025 in (0.635 mm)	46%	54%		

INSECT PLUS NO-SEE-UM						
Material Description	Thickness	Openess (OF)	UV Blockage			
Insect Plus No-see-um is a durable, tightly woven, vinyl-coated polyester designed to stop small insects.	0.021 in (0.533 mm)	47%	53%			

INSECT PLUS PET						
Material Description	Thickness	Openess (OF)	UV Blockage			
Insect Plus Pet is a vinyl-coated polyester that is tear and pucture resistant, to minimize damage from pets.	0.036 in (0.914 mm)	36%	64%			

18x14 SCREEN						
Material Description	Thickness	Openess (OF)	UV Blockage			
18x14 fibreglass mesh screen can withstand debris from harsh winds and storms, while keeping most insects out.	0.015 in (0.381 mm)	55%	45%			

FRAME AND SCREEN SIZING									
Box Size	Guide Rail Size	Bottom Bar Height	Minimum Screen Size	Maximum Screen Size	Maximum Screen Area				
4 in (105 mm)	1.5 in (37.5 mm)	1.75 in (44 mm)	Width - 28 in (71 cm) Height - 12 in (30 cm)	Width - 13 ft (400 cm) Height - 19 ft (580 cm)	129 sqr. ft (12 sqr. m)				
5 in (125 mm)	1.5 in (37.5 mm)	1.75 in (44 mm)	Width - 28 in (71 cm) Height - 12 in (30 cm)	Width - 19 ft (580 cm) Height - 19 ft (580 cm)	161 sqr. ft (15 sqr. m)				

